ELSEVIER

Brain Research 645 (1994) 356–358

BRAIN RESEARCH

Author Index

Aceves, J., see Rosales, M.G. (645) 335
Ahlbom, J., Fredriksson, A. and Eriksson, P.
Neonatal exposure to a Type-I pyrethroid (bioallethrin) induces dose–response changes in brain muscarinic receptors and behaviour in neonatal and adult mice (645) 318
Akaike, N., see Wu, J. (645) 303
Akira, T., Henry, D., Baldwin, R.A. and Wasterlain, C.G.
Nitric oxide participates in excitotoxic mechanisms induced by chemical hypoxia (645) 285
Akiyama, H., see Itagaki, S. (645) 78
Amano, S., Ohashi, M., Ishiko, T. and Hazama, F.
Humoral factors derived from glial cells protect cultured neuroblastoma cells against glutamate toxicity (645) 347
Amir, S.
N-Methyl-D-aspartate receptor-mediated signaling in the supraoptic nucleus involves activation of a nitric oxide-dependent pathway (645) 330

Baldwin, R.A., see Akira, T. (645) 285
Behl, C., Davis, J.B., Klier, F.G. and Schubert, D.
Amyloid β peptide induces necrosis rather than apoptosis (645) 253
Bell, J.M., see Freed, L.M. (645) 41
Beltz, T.G., see Zardetto-Smith, A.M. (645) 123
Bender, A.S., Mantelle, L.L. and Norenberg, M.D.
Stimulation of calcium uptake in cultured astrocytes by hypoosmotic stress — effect of cyclic AMP (645) 27
Blot, C., see Gardier, A.M. (645) 150
Boelen, M.K., Wellard, J., Dowton, M. and Morgan, I.G.
Endogenous dopamine inhibits the release of enkephalin-like immunoreactivity from amacrine cells of the chicken retina in the light (645) 240
Bohuon, C., see Gardier, A.M. (645) 150
Bonthius, D.J., Stringer, J.L., Lothman, E.W. and Steward, O.
Spreading depression and reverberatory seizures induce the upregulation of mRNA for glial fibrillary acidic protein (645) 215
Breese, G.R., see Moy, S.S. (645) 49
Broersen, L.M., Heinsbroek, R.P.W., de Bruin, J.P.C., Joosten, R.N.J.M.A., van Hest, A. and Olivier, B.
Effects of local application of dopaminergic drugs into the dorsal part of the medial prefrontal cortex of rats in a delayed matching to position task: comparison with local cholinergic blockade (645) 113
Bulloch, A.G.M., see Magoski, N.S. (645) 201
Burns, M.A., see Palmer, A.M. (645) 338

Caciagli, F., see Casabona, G. (645) 13
Cador, M., see Haney, M. (645) 179
Cagampang, F.R.A., see Fukuhara, C. (645) 343
Carter, D.B., see Nagata, K. (645) 19
Casabona, G., L'Episcopo, M.R., Di Iorio, P., Ciccarelli, R., De Bernardis, E., Shinozaki, H., Nicoletti, F. and Caciagli, F.
Interaction between metabotropic receptors and purinergic transmission in rat hippocampal slices (645) 13
Castanon, N., see Haney, M. (645) 179
Catania, M.V., see Wüllner, U. (645) 98
Chang, H.T., see Granata, A.R. (645) 265
Ciccarelli, R., see Casabona, G. (645) 13

Dampney, R.A.L., see Siddall, P.J. (645) 61
Davies, R.O., see Kubin, L. (645) 291
Davis, J.B., see Behl, C. (645) 253
De Bernardis, E., see Casabona, G. (645) 13
de Bruin, J.P.C., see Broersen, L.M. (645) 113
Di Iorio, P., see Casabona, G. (645) 13
Dowton, M., see Boelen, M.K. (645) 240
Doyle, P., Guillaume-Gentil, C., Rohner-Jeanrenaud, F. and Jeanrenaud, B.
Effects of corticosterone administration on local cerebral glucose utilization of rats (645) 225
Draski, L.J., Nash, D.J. and Gerhardt, G.A.
CNS monoamine levels and motoric behaviors in the hotfoot ataxic mutant (645) 69
Dunn, A.J. and Vickers, S.L.
Neurochemical and neuroendocrine responses to Newcastle disease virus administration in mice (645) 103

Eckerman, D.A., see Moy, S.S. (645) 49
Eriksson, P., see Ahlbom, J. (645) 318

Flores, G., see Rosales, M.G. (645) 335
Fredriksson, A., see Ahlbom, J. (645) 318
Freed, L.M., Wakabayashi, S., Bell, J.M. and Rapoport, S.I.
Effect of inhibition of β-oxidation on incorporation of [U-^{14}C]palmitate and [1-^{14}C]arachidonate into brain lipids (645) 41
Fukuhara, C., Nishiwaki, T., Cagampang, F.R.A. and Inouye, S.-I.T.
Emergence of VIP rhythmicity following somatostatin depletion in the rat suprachiasmatic nucleus (645) 343

Galea, L.A.M., see Kavaliers, M. (645) 325
Gardier, A.M., Kachaner, S., Shaghaghi, E.K., Blot, C., Bohuon, C., Jacquot, C. and Pallardy, M.J.
Effects of a primary immune response to T-cell dependent antigen on serotonin metabolism in frontal cortex: in vivo microdialysis study in freely moving Fischer 344 rat (645) 150
Gebhart, G.F., see Zhuo, M. (645) 164
Gerhardt, G.A., see Draski, L.J. (645) 69
Gibb, R., see Kolb, B. (645) 85
Granata, A.R. and Chang, H.T.
Relationship of calbindin D-28k with afferent neurons to the rostral ventrolateral medulla in the rat (645) 265
Grosvenor, C.E., see Obál Jr., F. (645) 143
Guillaume-Gentil, C., see Doyle, P. (645) 225

Hall, E.D., see Park, C.K. (645) 157
Hamilton, B.J., see Nagata, K. (645) 19
Haney, M., Castanon, N., Cador, M., Le Moal, M. and Mormède, P.
Cocaine sensitivity in Roman High and Low Avoidance rats is modulated by sex and gonadal hormone status (645) 179
Harata, N., see Wu, J. (645) 303
Hazama, F., see Amano, S. (645) 347
Heinsbroek, R.P.W., see Broersen, L.M. (645) 113
Henry, D., see Akira, T. (645) 285
Hernández, S., see Rosales, M.G. (645) 335

Inouye, S.-I.T., see Fukuhara, C. (645) 343
Ishiko, T., see Amano, S. (645) 347

ELSEVIER

Brain Research 645 (1994) 356–358

BRAIN RESEARCH

Author Index

Aceves, J., see Rosales, M.G. (645) 335
Ahlbom, J., Fredriksson, A. and Eriksson, P.
Neonatal exposure to a Type-I pyrethroid (bioallethrin) induces dose–response changes in brain muscarinic receptors and behaviour in neonatal and adult mice (645) 318
Akaike, N., see Wu, J. (645) 303
Akira, T., Henry, D., Baldwin, R.A. and Wasterlain, C.G.
Nitric oxide participates in excitotoxic mechanisms induced by chemical hypoxia (645) 285
Akiyama, H., see Itagaki, S. (645) 78
Amano, S., Ohashi, M., Ishiko, T. and Hazama, F.
Humoral factors derived from glial cells protect cultured neuroblastoma cells against glutamate toxicity (645) 347
Amir, S.
N-Methyl-D-aspartate receptor-mediated signaling in the supraoptic nucleus involves activation of a nitric oxide-dependent pathway (645) 330

Baldwin, R.A., see Akira, T. (645) 285
Behl, C., Davis, J.B., Klier, F.G. and Schubert, D.
Amyloid β peptide induces necrosis rather than apoptosis (645) 253
Bell, J.M., see Freed, L.M. (645) 41
Beltz, T.G., see Zardetto-Smith, A.M. (645) 123
Bender, A.S., Mantelle, L.L. and Norenberg, M.D.
Stimulation of calcium uptake in cultured astrocytes by hypoosmotic stress — effect of cyclic AMP (645) 27
Blot, C., see Gardier, A.M. (645) 150
Boelen, M.K., Wellard, J., Dowton, M. and Morgan, I.G.
Endogenous dopamine inhibits the release of enkephalin-like immunoreactivity from amacrine cells of the chicken retina in the light (645) 240
Bohuon, C., see Gardier, A.M. (645) 150
Bonthius, D.J., Stringer, J.L., Lothman, E.W. and Steward, O.
Spreading depression and reverberatory seizures induce the upregulation of mRNA for glial fibrillary acidic protein (645) 215
Breese, G.R., see Moy, S.S. (645) 49
Broersen, L.M., Heinsbroek, R.P.W., de Bruin, J.P.C., Joosten, R.N.J.M.A., van Hest, A. and Olivier, B.
Effects of local application of dopaminergic drugs into the dorsal part of the medial prefrontal cortex of rats in a delayed matching to position task: comparison with local cholinergic blockade (645) 113
Bulloch, A.G.M., see Magoski, N.S. (645) 201
Burns, M.A., see Palmer, A.M. (645) 338

Caciagli, F., see Casabona, G. (645) 13
Cador, M., see Haney, M. (645) 179
Cagampang, F.R.A., see Fukuhara, C. (645) 343
Carter, D.B., see Nagata, K. (645) 19
Casabona, G., L'Episcopo, M.R., Di Iorio, P., Ciccarelli, R., De Bernardis, E., Shinozaki, H., Nicoletti, F. and Caciagli, F.
Interaction between metabotropic receptors and purinergic transmission in rat hippocampal slices (645) 13
Castanon, N., see Haney, M. (645) 179
Catania, M.V., see Wüllner, U. (645) 98
Chang, H.T., see Granata, A.R. (645) 265
Ciccarelli, R., see Casabona, G. (645) 13

Dampney, R.A.L., see Siddall, P.J. (645) 61
Davies, R.O., see Kubin, L. (645) 291
Davis, J.B., see Behl, C. (645) 253
De Bernardis, E., see Casabona, G. (645) 13
de Bruin, J.P.C., see Broersen, L.M. (645) 113
Di Iorio, P., see Casabona, G. (645) 13
Dowton, M., see Boelen, M.K. (645) 240
Doyle, P., Guillaume-Gentil, C., Rohner-Jeanrenaud, F. and Jeanrenaud, B.
Effects of corticosterone administration on local cerebral glucose utilization of rats (645) 225
Draski, L.J., Nash, D.J. and Gerhardt, G.A.
CNS monoamine levels and motoric behaviors in the hotfoot ataxic mutant (645) 69
Dunn, A.J. and Vickers, S.L.
Neurochemical and neuroendocrine responses to Newcastle disease virus administration in mice (645) 103

Eckerman, D.A., see Moy, S.S. (645) 49
Eriksson, P., see Ahlbom, J. (645) 318

Flores, G., see Rosales, M.G. (645) 335
Fredriksson, A., see Ahlbom, J. (645) 318
Freed, L.M., Wakabayashi, S., Bell, J.M. and Rapoport, S.I.
Effect of inhibition of β-oxidation on incorporation of [U-^{14}C]palmitate and [1-^{14}C]arachidonate into brain lipids (645) 41
Fukuhara, C., Nishiwaki, T., Cagampang, F.R.A. and Inouye, S.-I.T.
Emergence of VIP rhythmicity following somatostatin depletion in the rat suprachiasmatic nucleus (645) 343

Galea, L.A.M., see Kavaliers, M. (645) 325
Gardier, A.M., Kachaner, S., Shaghaghi, E.K., Blot, C., Bohuon, C., Jacquot, C. and Pallardy, M.J.
Effects of a primary immune response to T-cell dependent antigen on serotonin metabolism in frontal cortex: in vivo microdialysis study in freely moving Fischer 344 rat (645) 150
Gebhart, G.F., see Zhuo, M. (645) 164
Gerhardt, G.A., see Draski, L.J. (645) 69
Gibb, R., see Kolb, B. (645) 85
Granata, A.R. and Chang, H.T.
Relationship of calbindin D-28k with afferent neurons to the rostral ventrolateral medulla in the rat (645) 265
Grosvenor, C.E., see Obál Jr., F. (645) 143
Guillaume-Gentil, C., see Doyle, P. (645) 225

Hall, E.D., see Park, C.K. (645) 157
Hamilton, B.J., see Nagata, K. (645) 19
Haney, M., Castanon, N., Cador, M., Le Moal, M. and Mormède, P.
Cocaine sensitivity in Roman High and Low Avoidance rats is modulated by sex and gonadal hormone status (645) 179
Harata, N., see Wu, J. (645) 303
Hazama, F., see Amano, S. (645) 347
Heinsbroek, R.P.W., see Broersen, L.M. (645) 113
Henry, D., see Akira, T. (645) 285
Hernández, S., see Rosales, M.G. (645) 335

Inouye, S.-I.T., see Fukuhara, C. (645) 343
Ishiko, T., see Amano, S. (645) 347

Itagaki, S., Akiyama, H., Saito, H. and McGeer, P.L.
Ultrastructural localization of complement membrane attack complex (MAC)-like immunoreactivity in brains of patients with Alzheimer's disease (645) 78

Jacquot, C., see Gardier, A.M. (645) 150
Jeanrenaud, B., see Doyle, P. (645) 225
Johnson, A.K., see Zardetto-Smith, A.M. (645) 123
Joosten, R.N.J.M.A., see Broersen, L.M. (645) 113

Kachaner, S., see Gardier, A.M. (645) 150
Kacsoh, B., see Obál Jr., F. (645) 143
Kapás, L., see Obál Jr., F. (645) 143
Kavaliers, M., Wiebe, J.P. and Galea, L.A.M.
Reduction of predator odor-induced anxiety in mice by the neurosteroid 3α-hydroxy-4-pregnen-20-one (3αHP) (645) 325
Kawata, M., see Yuri, K. (645) 278
Kem, W.R., see Woodruff-Pak, D.S. (645) 309
Kim, C., see Suh, J. (645) 36
Kim, K., see Suh, J. (645) 36
Klier, F.G., see Behl, C. (645) 253
Kolb, B., Gibb, R. and van der Kooy, D.
Neonatal frontal cortical lesions in rats alter cortical structure and connectivity (645) 85
Krueger, J.M., see Obál Jr., F. (645) 143
Kubin, L., Reignier, C., Tojima, H., Taguchi, O., Pack, A.I. and Davies, R.O.
Changes in serotonin level in the hypoglossal nucleus region during carbachol-induced atonia (645) 291

Lebrun, F., see Mayat, E. (645) 186
Le Moal, M., see Haney, M. (645) 179
L'Episcopo, M.R., see Casabona, G. (645) 13
Lerner-Natoli, M., see Mayat, E. (645) 186
Li, Y.-T., see Woodruff-Pak, D.S. (645) 309
Lopes da Silva, F.H., see Pennartz, C.M.A. (645) 231
Lothman, E.W., see Bonthius, D.J. (645) 215

MacKay, W.A., Mendonça, A.J. and Riehle, A.
Spatially modulated touch responses in parietal cortex (645) 351
Magoski, N.S., Syed, N.I. and Bulloch, A.G.M.
A neuronal network from the mollusc *Lymnaea stagnalis* (645) 201
Mantelle, L.L., see Bender, A.S. (645) 27
Martínez-Fong, D., see Rosales, M.G. (645) 335
Mayat, E., Lerner-Natoli, M., Rondouin, G., Lebrun, F., Sassetti, I. and Récasens, M.
Kainate-induced status epilepticus leads to a delayed increase in various specific glutamate metabotropic receptor responses in the hippocampus (645) 186
McGeer, P.L., see Itagaki, S. (645) 78
Mendonça, A.J., see MacKay, W.A. (645) 351
Morgan, I.G., see Boelen, M.K. (645) 240
Mormède, P., see Haney, M. (645) 179
Moy, S.S., Breese, G.R. and Eckerman, D.A.
Altered activity patterns following neonatal 6-hydroxydopamine lesions to dopaminergic neurons: effect of SKF-38393 (645) 49

Nagata, K., Hamilton, B.J., Carter, D.B. and Narahashi, T.
Selective effects of dieldrin on the $GABA_A$ receptor-channel subunits expressed in human embryonic kidney cells (645) 19
Narahashi, T., see Nagata, K. (645) 19
Nash, D.J., see Draski, L.J. (645) 69
Nicoletti, F., see Casabona, G. (645) 13
Nishiwaki, T., see Fukuhara, C. (645) 343
Nobrega, J.N., see Nunes Jr., G.P. (645) 247
Norenberg, M.D., see Bender, A.S. (645) 27
Nunes Jr., G.P., Tufik, S. and Nobrega, J.N.
Decreased muscarinic receptor binding in rat brain after paradoxical sleep deprivation: an autoradiographic study (645) 247

Obál Jr., F., Payne, L., Kacsoh, B., Opp, M., Kapás, L., Grosvenor, C.E. and Krueger, J.M.
Involvement of prolactin in the REM sleep-promoting activity of systemic vasoactive intestinal peptide (VIP) (645) 143
Ohashi, M., see Amano, S. (645) 347
Olivier, B., see Broersen, L.M. (645) 113
Opp, M., see Obál Jr., F. (645) 143

Pack, A.I., see Kubin, L. (645) 291
Pallardy, M.J., see Gardier, A.M. (645) 150
Palmer, A.M. and Burns, M.A.
Selective increase in lipid peroxidation in the inferior temporal cortex in Alzheimer's disease (645) 338
Park, C.K. and Hall, E.D.
Dose–response analysis of the effect of 21-aminosteroid tirilazad mesylate (U-74006F) upon neurological outcome and ischemic brain damage in permanent focal cerebral ischemia (645) 157
Payne, L., see Obál Jr., F. (645) 143
Pennartz, C.M.A. and Lopes da Silva, F.H.
Muscarinic modulation of synaptic transmission in slices of the rat ventral striatum is dependent on the frequency of afferent stimulation (645) 231
Penney Jr., J.B., see Wüllner, U. (645) 98
Pert, A., see Thomas, D.N. (645) 135
Polson, J.W., see Siddall, P.J. (645) 61
Post, R.M., see Thomas, D.N. (645) 135

Rapoport, S.I., see Freed, L.M. (645) 41
Récasens, M., see Mayat, E. (645) 186
Reignier, C., see Kubin, L. (645) 291
Riehle, A., see MacKay, W.A. (645) 351
Rohner-Jeanrenaud, F., see Doyle, P. (645) 225
Rondouin, G., see Mayat, E. (645) 186
Rosales, M.G., Flores, G., Hernández, S., Martínez-Fong, D. and Aceves, J.
Activation of subthalamic neurons produces NMDA receptor-mediated dendritic dopamine release in substantia nigra pars reticulata: a microdialysis study in the rat (645) 335

Saito, H., see Itagaki, S. (645) 78
Sassetti, I., see Mayat, E. (645) 186
Schubert, D., see Behl, C. (645) 253
Shaghaghi, E.K., see Gardier, A.M. (645) 150
Sheu, M.-J., see Sribanditmongkol, P. (645) 1
Shinozaki, H., see Casabona, G. (645) 13
Siddall, P.J., Polson, J.W. and Dampney, R.A.L.
Descending antinociceptive pathway from the rostral ventrolateral medulla: a correlative anatomical and physiological study (645) 61
Song, E.-S., see Suh, J. (645) 36
Sribanditmongkol, P., Sheu, M.-J. and Tejwani, G.A.
Inhibition of morphine tolerance and dependence by diazepam and its relation to the CNS Met-enkephalin levels (645) 1
Steward, O., see Bonthius, D.J. (645) 215
Stringer, J.L., see Bonthius, D.J. (645) 215
Suh, J., Song, E.-S., Kim, C., Yu, M.-H. and Kim, K.
Cross-talk between *N*-methyl-D-aspartate and adrenergic neurotransmission in the regulation of hypothalamic GnRH gene expression (645) 36
Syed, N.I., see Magoski, N.S. (645) 201

Taguchi, O., see Kubin, L. (645) 291
Tejwani, G.A., see Sribanditmongkol, P. (645) 1
Testa, C.M., see Wüllner, U. (645) 98
Thomas, D.N., Post, R.M. and Pert, A.
Focal and systemic cocaine differentially affect extracellular norepinephrine in the locus coeruleus, frontal cortex and hippocampus of the anaesthetized rat (645) 135
Tojima, H., see Kubin, L. (645) 291
Tufik, S., see Nunes Jr., G.P. (645) 247

van der Kooy, D., see Kolb, B. (645) 85
van Hest, A., see Broersen, L.M. (645) 113
Vickers, S.L., see Dunn, A.J. (645) 103

Wakabayashi, S., see Freed, L.M. (645) 41
Wasterlain, C.G., see Akira, T. (645) 285
Wellard, J., see Boelen, M.K. (645) 240
Wiebe, J.P., see Kavaliers, M. (645) 325
Woodruff-Pak, D.S., Li, Y.-T. and Kem, W.R.
A nicotinic agonist (GTS-21), eyeblink classical conditioning, and nicotinic receptor binding in rabbit brain (645) 309
Wu, J., Harata, N. and Akaike, N.
Sevoflurane-induced ionic current in acutely dissociated CA1 pyramidal neurons of the rat hippocampus (645) 303

Wüllner, U., Testa, C.M., Catania, M.V., Young, A.B. and Penney Jr., J.B.
Glutamate receptors in striatum and substantia nigra: effects of medial forebrain bundle lesions (645) 98

Young, A.B., see Wüllner, U. (645) 98
Yu, M.-H., see Suh, J. (645) 36

Yuri, K. and Kawata, M.
Region-specific changes of tyrosine hydroxylase-immunoreactivity by estrogen treatment in female rat hypothalamus (645) 278

Zardetto-Smith, A.M., Beltz, T.G. and Johnson, A.K.
Role of the central nucleus of the amygdala and bed nucleus of the stria terminalis in experimentally-induced salt appetite (645) 123
Zhuo, M. and Gebhart, G.F.
Effects of neonatal capsaicin treatment on descending modulation of spinal nociception from the rostral, medial medulla in adult rat (645) 164